


Hazardous Substances Series

Mercury Losses from the Chlor-Alkali Industry in 2004



**OSPAR Commission
2006**

The Convention for the Protection of the Marine Environment of the North-East Atlantic (the “OSPAR Convention”) was opened for signature at the Ministerial Meeting of the former Oslo and Paris Commissions in Paris on 22 September 1992. The Convention entered into force on 25 March 1998. It has been ratified by Belgium, Denmark, Finland, France, Germany, Iceland, Ireland, Luxembourg, Netherlands, Norway, Portugal, Sweden, Switzerland and the United Kingdom and approved by the European Community and Spain.

La Convention pour la protection du milieu marin de l'Atlantique du Nord-Est, dite Convention OSPAR, a été ouverte à la signature à la réunion ministérielle des anciennes Commissions d'Oslo et de Paris, à Paris le 22 septembre 1992. La Convention est entrée en vigueur le 25 mars 1998. La Convention a été ratifiée par l'Allemagne, la Belgique, le Danemark, la Finlande, la France, l'Irlande, l'Islande, le Luxembourg, la Norvège, les Pays-Bas, le Portugal, le Royaume-Uni de Grande Bretagne et d'Irlande du Nord, la Suède et la Suisse et approuvée par la Communauté européenne et l'Espagne.

© OSPAR Commission, 2006. Permission may be granted by the publishers for the report to be wholly or partly reproduced in publications provided that the source of the extract is clearly indicated.

© Commission OSPAR, 2006. La reproduction de tout ou partie de ce rapport dans une publication peut être autorisée par l'Editeur, sous réserve que l'origine de l'extrait soit clairement mentionnée.

ISBN 1-905859-14-7
ISBN 978-1-905859-14-6

Publication Number: 272/2006

contents

Executive Summary/ <i>Récapitulatif</i>	4
1. Introduction	5
(2. Assessment of the Report on mercury losses from the Chlor-Alkali industry)	5
3. Evolution of mercury losses from the chlor-alkali industry (1982-2004)	5
4. 2004 data and information	24
4.1 Introduction	24
4.2 Locations of mercury-based chlor-alkali plants	25
4.3 Other OSPAR Contracting Parties	26

Executive Summary/Récapitulatif

This report continues the series of annual reports on mercury discharges, emissions and losses of mercury by all routes from mercury-cell chlor-alkali plants. The report presents the 2004 data on production capacities, atmospheric emissions of mercury, and the amount of mercury in safely deposited wastes.

Le présent rapport prend la suite de la série de rapports annuels sur les rejets, les émissions et les pertes de mercure empruntant toutes les voies de pénétration, provenant des installations d'électrolyse des chlorures alcalins à cellules de mercure. Le rapport présente les données de 2004 sur les capacités de production, les émissions atmosphériques du mercure et la quantité de mercure dans les déchets mis en décharges sécurisées.

Reports on the intended future phasing-out of national mercury-based chlor-alkali production capacities, previously included in this report series, are now included in the "Overview Assessment of the Implementation of PARCOM Decision 90/3 on Reducing Atmospheric Emissions from Existing Chlor-Alkali Plants".

Les rapports relatifs aux intentions d'abandon, dans l'avenir, des capacités nationales de production des chlorures alcalins à base de mercure, qui figuraient auparavant dans le présent rapport, sont désormais intégrés à la « Synthèse d'évaluation de la mise en œuvre de la décision PARCOM 90/3 sur la réduction des émissions atmosphériques des installations existantes d'électrolyse des chlorures alcalins ».

The data have been reported using the reporting formats and procedures agreed by OSPAR in 2003 (reference number 2003-5), which set out the requirements for data and information to be provided via Euro Chlor.

Les données ont été soumises en utilisant les formulaires de notification et les procédures convenus par OSPAR en 2003 (numéro de référence 2003-5), lesquels font état des exigences des données et des informations à fournir par le biais d'Euro Chlor.

The OSPAR Hazardous Substances Committee agreed in 2005 to continue annual reporting, but with an assessment only every two years until 2009, and then to reconsider the frequency of assessments. Accordingly, this report does not include an assessment. The chlor-alkali report to be published in 2007 will include data for 2005 as well as an assessment of both the 2004 and 2005 data and the trends.

Le comité substances dangereuses d'OSPAR a convenu en 2005 de poursuivre une notification, mais avec un rapport d'évaluation tous les deux ans, jusqu'en 2009, date à laquelle il conviendra de ré-étudier la fréquence des évaluations. Par conséquent, ce rapport ne contient pas de rapport d'évaluation. Le rapport sur l'électrolyse des chlorures alcalins devant être publié en 2007 inclura les données pour 2005 ainsi qu'une évaluation des données de 2004 et de 2005 et des tendances.

1. Introduction

Since the beginning of the 1980s, mercury discharges, emissions and losses from the chlor-alkali industry have been addressed under the former Paris Commission (PARCOM). The following Decisions and Recommendations are applicable under the OSPAR Convention:

- PARCOM Decision on Limit Values for Mercury Emissions in Water from Existing and New Brine Recirculation Chlor-alkali Plants (exit of the purification plant), 1980;
- PARCOM Decision on Limit Values for Existing Waste Brine Chlor-Alkali Plants, 1981;
- PARCOM Decision on Limit Values for Existing Brine Recirculation Chlor-Alkali Plants (exit of the factory site), 1981;
- PARCOM Decision on New Chlor-Alkali Plants Using Mercury Cells, 1982;
- PARCOM Recommendation on Limit Values for Mercury Emissions in Water from Existing Brine Recirculation Chlor-Alkali Plants (exit of factory site), 1985;
- PARCOM Decision 90/3 on Reducing Atmospheric Emissions from Existing Chlor-Alkali Plants.

In 1983, Contracting Parties to the former Paris Convention initiated an annual reporting of mercury discharges, emissions and losses from their national chlor-alkali industry. These data were compiled by the OSPAR Secretariat and, following examination by the relevant subsidiary bodies, published by the Commission in form of Annual Reports on Mercury Losses from the Chlor-alkali Industry, which comprised yearly data series from 1982 onwards.

Over time, reporting requirements and formats were regularly reviewed and up-dated in the light of the ongoing work under the Commission as regards the chlor-alkali industry. With a view to harmonising the way in which data and information are being established and reported, the Hazardous Substances Committee (HSC) of the OSPAR Commission adopted in 2003 the current reporting formats and procedures (see OSPAR agreement; reference number 2003-5) which set out the requirements for data and information to be provided via Euro Chlor. Annual data on discharges, emissions and losses of mercury from each plant operating within OSPAR Contracting Parties are reported to the OSPAR Secretariat, which, following a check and confirmation by Contracting Parties, compiles these technical data in form of a report.

OSPAR acknowledges the assistance of Euro Chlor in assembling the information and appreciates the efforts made by Euro Chlor to provide all requested information on a plant-by-plant basis and recommends continuing this procedure in future.

(2. Assessment of the Report on mercury losses from the Chlor-Alkali industry)

The 2004 data will be assessed in the report to be published in 2007.

3. Evolution of mercury losses from the chlor-alkali industry (1982-2004)

The following figures give a rough indication of the evolution of mercury losses from the chlor-alkali industry in the period 1982-2004 as follows:

- Figure 1: Chlorine Production Capacity with Mercury Cells;
- Figure 2: Mercury Losses through Product, Waste Water and Air;
- Figure 3: Atmospheric Emissions of Mercury.

It should be noted that these figures use data from previously published OSPAR Reports and that the way in which these data, in particular the pre-1999 data, were calculated and reported might differ:

- from Contracting Party to Contracting Party;
- within a time series of one Contracting Party.

Therefore, the interpretation of the figures is limited and any comparisons have to be carried out with extreme caution.

It should also be noted that Finland and Switzerland were not Contracting Parties to the former Paris Convention. Prior to the entry into force of the OSPAR Convention, the Contracting Parties supplied data on a voluntary basis as follows:

Finland	from 1996 onwards, atmospheric emissions from the only mercury-based chlor-alkali plant, which discharges into the Baltic Sea (i.e. outside the OSPAR maritime area);
Switzerland	from 1993 onwards, full data sets for the national mercury-based and mercury-free chlor-alkali industry.

Some information about changes in the reporting over time, as well as explanations of considerable increases or decreases in values, are given in footnotes to the OSPAR Report on Mercury Losses from the Chlor-alkali Industry (1982-1998), which was published in 2000.

A further source of information to be taken into account are the expert assessments, which were included in the publication of the Annual OSPAR Reports on Mercury Losses from the Chlor-alkali Industry from 1996 onwards.

Until 2003, data has been published in Figures 1 to 3 as total figures for each Contracting Party. Since 1998, data has been made available on a plant-by-plant basis¹. In order to improve comparability of performance, plant-by-plant data are now published in:

Table 1:	Chlorine Production Capacity with Hg-cells (tonnes)
Table 2:	Mercury Losses through Product, Waste Water and Air (kg per year)
Table 3:	Mercury Losses through Product, Waste Water and Air (g per tonne production capacity)
Table 4:	Atmospheric Emissions of Mercury (kg per year)
Table 5:	Atmospheric Emissions of Mercury (g per tonne production capacity)
Table 6:	Mercury in Safely Deposited Wastes (kg per year)
Table 7:	Mercury in Safely Deposited Wastes (g per tonne production capacity)

The presentation of these figures since 1998 will also assist in:

- a. the review of progress to moving towards the OSPAR 2020 target of the cessation of discharges, emissions and losses of mercury;
- b. the assessment of the effectiveness of the implementation of PARCOM Decision 90/3.

To this end, all locations of mercury-based chlor-alkali plants in operation in 1998 are described in Section 4.2 including when they have been decommissioned or converted.

¹ For plant codes in the tables see section 4.1.




Figure 1: Chlorine Production Capacity with Mercury Cells of plants discharging into the OSPAR catchment area (in kilotonnes per year)




Figure 2: Mercury Losses through Product, Wastewater and Air
(in kilograms per year, sum of mercury losses to product and wastewater from national plants discharging into the OSPAR catchment area plus atmospheric emissions from all national plants)




Figure 3: Atmospheric Emissions of Mercury from all plants of Contracting Parties
(in kilograms per year, all plants)

**Table 1: Chlorine Production Capacity with Hg-cells (tonnes) from all plants
(Asterisk indicates plants discharging into maritime area only)**

Site	1998	1999	2000	2001	2002	2003	2004
Belgium							
B/1*	219 000	230 000	219 000	219 000	219 000	219 000	219 000
B/2*	250 000	250 000	250 000	250 000	250 000	250 000	250 000
B/3*	120 000	100 000	120 000	120 000	120 000	120 000	120 000
B/4*	90 900	82 000	90 900	41 663			
Total	679 900	662 000	679 900	630 663	589 000	589 000	589 000
Finland							
SF/1	40 000	40 000	40 000	40 000	42 485	42 485	42 485
Total	40 000	40 000	40 000	40 000	42 485	42 485	42 485
France							
F/1*	NI	18 040	18 040	18 040	18 040	18 040	18 040
F/2*	NI	72 000	72 000	72 000	72 000	72 000	72 000
F/3	NI	240 900	240 900	240 900	240 900	240 900	240 900
F/4	NI	170 070	170 070	170 070	170 070	170 070	170 070
F/5*	NI	22 500	22 500	22 500	22 500	22 500	22 500
F/6	NI	166 000	166 000	166 000	166 000	166 000	166 000
F/7	NI	184 300	184 300	184 300	184 300	184 300	184 300
Total	NI	873 810	873 810	873 810	873 810	873 810	873 810
Germany							
D/1	130 000	65 000	NA	NA	NA	NA	NA
D/2*	130 000	130 000	140 000	140 000	110 000	110 000	110 000
D/3*	120 000	120 000	125 000	125 000	125 000	125 000	125 000
D/4*	150 000	300 000	300 000	300 000	153 000	NA	NA
D/5*	180 000	150 000	160 000	160 000	160 000	160 000	160 000
D/6*	65 000	130 000	148 828	148 828	148 828	148 828	148 828
D/7*	160 000	180 000	182 000	176 000	176 000	176 000	176 000
D/8*	200 000	98 000	135 951	135 951	135 951	135 951	135 951
D/9*	150 000	150 000	160 000	167 000	167 000	167 000	167 000
D/10	300 000	248 000	NA	NA	NA	NA	NA
D/11	50 000	60 000	9 804	NA	NA	NA	NA
D/12	72 000	157 000	157 000	NA	NA	NA	NA
D/13*	157 000	150 000	160 000	160 000	160 000	160 000	160 000
D/14	300 000	72 000	82 355	82 355	82 355	82 355	82 355
D/15	120 000	NA	NA	NA	NA	NA	NA
Total	2 344 000	2 010 000	1 760 938	1 595 134	1 416 134	1 265 134	1 265 134
Netherlands							
NL/1*	70 000	70 000	74 294	74 294	74 294	74 294	74 294
NL/2*	140 000	140 000	NA	NA	NA	NA	NA
Total	210 000	210 000	74 294	74 294	74 294	74 294	74 294
Portugal							
P/1*	48 600	48 000	43 302	43 302	NA	NA	NA
P/2*	26 400	NA	NA	NA	NA	NA	NA
Total	75 000	48 000	43 302	43 302	NA	NA	NA
Spain							
E/1	31 920	30 000	31 373	31 373	31 373	31 373	31 373
E/2*	14 815	15 000	14 815	14 815	9 877	NI	NI
E/3*	33 552	33 500	33 552	33 552	33 552	33 552	33 552
E/4	150 000	150 000	150 000	150 000	150 000	150 000	150 000
E/5*	62 745	63 000	62 747	62 747	62 747	62 747	62 747
E/6	209 200	209 000	217 871	217 871	217 871	217 871	217 871
E/7	25 000	25 000	25 000	25 000	25 000	25 000	25 000
E/8	135 000	135 000	135 004	135 004	135 004	135 004	135 004
E/9*	101 000	101 000	100 929	100 929	100 929	100 929	100 929
Total	763 232	761 500	771 291	771 291	766 353	756 476	756 476

Site	1998	1999	2000	2001	2002	2003	2004
Sweden							
S/1*	100 000	100 000	100 000	100 000	100 000	100 000	100 000
S/2*	120 000	120 000	132 000	120 000	120 000	120 000	120 000
Total	220 000	220 000	232 000	220 000	220 000	220 000	220 000

Switzerland							
CH/1*	55 000	55 000	55 000	55 000	55 000	55 000	32 083
CH/2	26 500	22 000	26 500	26 500	26 500	26 500	26 500
CH/3*	27 000	26 500	27 000	27 000	27 000	27 000	27 000
Total	108 500	103 500	108 500	108 500	108 500	108 500	85 583²

UK							
UK/1*	29 000	29 000	29 413	29 413	29 413	29 413	29 413
UK/2*	89 872	89 000	89 872	89 872	89 872	89 872	89 872
UK/3*	737 000	738 000	738 000	738 000	738 000	738 000	738 000
Total	855 872	856 000	857 285	857 285	857 285	857 285	857 285

Production capacity of all installations in the Convention area

	1998	1999	2000	2001	2002	2003	2004
tonnes	6 170 314	5 784 810	5 441 320	5 214 279	4 947 861	4 786 984	4 764 067
%	100	93,8	88,2	84,5	80,2	77,6	77,2

Production capacity of installations in the drainage area to the maritime area

	1998	1999	2000	2001	2002	2003	2004
tonnes	3 819 424	3 810 540	3 805 143	3 744 906	3 476 003	3 315 126	3 292 209
%	100	99,8	99,6	98,0	91,0	86,8	86,2

² The Solvay chlorine production unit located in Zurzach (CH/1) was shut down at the beginning of August 2004 and, in agreement with the Euro Chlor rules, a yearly production capacity "pro rata temporis" was considered (i.e. 55 000 t/y * 7 /12 = 32 083 t/y).

**Table 2: Mercury Losses through Product, Waste Water and Air
(kg per year)**

Site	1998	1999	2000	2001	2002	2003	2004
Belgium							
B/1	NI	173	157	122	82	92	142
B/2	NI	178	180	175	169	186	178
B/3	NI	113	111	88	78	85	82
B/4	NI	173	201	120			
Total	893	637	649	505	329	363	402
Finland							
SF/1	NI	63	43	41	44	37	56
Total	NI	63	43	41	44	37	56
France							
F/1	NI	28	29	24	15	12	25
F/2	NI	129	119	121	92	118	116
F/3	NI	345	338	226	216	245	189
F/4	NI	192	220	203	152	127	96
F/5	NI	32	32	33	34	33	32
F/6	NI	190	152	139	175	185	147
F/7	NI	281	243	237	202	282	242
Total	1 149	1 197	1 133	983	886	1 002	847
Germany							
D/1	NI	111	NA	NA	NA	NA	NA
D/2	NI	147	247	159	127	128	103
D/3	NI	49	73	75	78	80	92
D/4	NI	367	367	358	285	NA	NA
D/5	NI	261	166	162	157	169	173
D/6	NI	70	62	52	49	77	116
D/7	NI	313	257	199	218	289	260
D/8	NI	193	209	228	174	159	151
D/9	NI	161	165	197	199	213	244
D/10	NI	391	NA	NA	NA	NA	NA
D/11	NI	104	18	NA	NA	NA	NA
D/12	NI	132	137	NA	NA	NA	NA
D/13	NI	137	171	201	163	146	141
D/14	285	100	112	80	67	64	62
D/15	NI	NA	NA	NA	NA	NA	NA
Total	2 864	2 536	1 982	1 711	1 517	1 325	1 343
Netherlands							
NL/1	NI	71	68	57	41	45	42
NL/2	NI	196	NA	NA	NA	NA	NA
Total	282	267	68	57	41	45	42
Portugal							
P/1	NI	130	121	100	NA	NA	NA
P/2	NI	NA	NA	NA	NA	NA	NA
Total	202	130	121	100	NA	NA	NA
Spain							
E/1	NI	61	63	58	48	45	46
E/2	NI	30	29	25	16	NI	NI
E/3	NI	66	57	52	38	42	32
E/4	NI	287	164	114	123	137	121
E/5	NI	142	102	101	86	74	92
E/6	NI	182	182	193	185	199	205
E/7	NI	53	49	32	36	30	26
E/8	NI	251	244	176	174	174	154
E/9	123	175	95	103	132	99	94
Total	1 057	1 247	985	854	838	800	770

Site	1998	1999	2000	2001	2002	2003	2004
Sweden							
S/1	NI	27	28	29	26	22	25
S/2	NI	18	19	18	17	19	22
Total	65	45	47	47	43	41	47
Switzerland							
CH/1	NI	82	70	64	73	67	39
CH/2	NI	19	20	28	19	19	11
CH/3	NI	15	19	25	17	12	22
Total	111	116	109	117	109	98	72
UK							
UK/1	NI	15	16	17	18	35	54
UK/2	NI	125	144	157	175	144	154
UK/3	NI	1 476	1 535	1 439	1 188	1237	1155
Total	1 493	1 616	1 695	1 613	1 381	1 416	1 363

Total mercury losses through product, waste water and air from all installations in the Convention area (waste water discharges from installations in the drainage area only)

	1998	1999	2000	2001	2002	2003	2004
kg/year	8 179	7 854	6 832	6 028	5 188	4 933	4 730
%	100	96,0	83,5	73,3	63,4	60,3	57,8

**Table 3: Mercury Losses through Product, Waste Water and Air
(g per tonne production capacity)**

Site	1998	1999	2000	2001	2002	2003	2004
Belgium							
B/1	NI	0,750	0,715	0,556	0,374	0,419	0,649
B/2	NI	0,710	0,720	0,699	0,676	0,744	0,712
B/3	NI	1,125	0,921	0,736	0,647	0,712	0,684
B/4	NI	2,110	2,212	2,890	NA	NA	NA
Finland							
SF/1	NI	1,574	1,078	1,026	1,046	0,878	1,324
France							
F/1	NI	1,580	1,631	1,317	0,819	0,646	1,400
F/2	NI	1,792	1,646	1,680	1,277	1,644	1,615
F/3	NI	1,431	1,403	0,940	0,896	1,019	0,785
F/4	NI	1,131	1,292	1,197	0,896	0,746	0,567
F/5	NI	1,444	1,436	1,457	1,509	1,469	1,402
F/6	NI	1,144	0,917	0,836	1,054	1,117	0,883
F/7	NI	1,522	1,320	1,286	1,094	1,530	1,312
Germany							
D/1	NI	1,707	NA	NA	NA	NA	NA
D/2	NI	1,128	1,766	1,132	1,153	1,163	0,934
D/3	NI	0,406	0,583	0,601	0,622	0,640	0,733
D/4	NI	1,223	1,223	1,193	1,862	NA	NA
D/5	NI	1,740	1,040	1,010	0,980	1,060	1,083
D/6	NI	0,540	0,416	0,348	0,326	0,515	0,777
D/7	NI	1,740	1,410	1,130	1,240	1,640	1,479
D/8	NI	1,970	1,540	1,680	1,281	1,167	1,111
D/9	NI	1,070	1,032	1,182	1,189	1,279	1,464
D/10	NI	1,576	NA	NA	NA	NA	NA
D/11	NI	1,740	1,864	NA	NA	NA	NA
D/12	NI	0,843	0,871	NA	NA	NA	NA
D/13	NI	0,910	1,069	1,259	1,019	0,911	0,884
D/14	NI	1,390	1,364	0,966	0,815	0,776	0,757
D/15	NI	NA	NA	NA	NA	NA	NA
Netherlands							
NL/1	NI	1,008	0,909	0,765	0,551	0,610	0,571
NL/2	NI	1,400	NA	NA	NA	NA	NA
Portugal							
P/1	NI	2,700	2,800	2,300	NA	NA	NA
P/2	NI	NA	NA	NA	NA	NA	NA
Spain							
E/1	NI	2,040	2,020	1,861	1,545	1,430	1,461
E/2	NI	2,020	1,948	1,667	1,626	NI	
E/3	NI	1,970	1,699	1,563	1,123	1,264	0,945
E/4	NI	1,910	1,094	0,762	0,821	0,911	0,811
E/5	NI	2,259	1,632	1,608	1,368	1,172	1,461
E/6	NI	0,870	0,834	0,885	0,848	0,914	0,944
E/7	NI	2,100	1,940	1,265	1,428	1,220	1,030
E/8	NI	1,860	1,810	1,300	1,290	1,290	1,140
E/9	NI	1,730	0,938	1,021	1,309	0,976	0,933
Sweden							
S/1	NI	0,268	0,278	0,288	0,258	0,221	0,248
S/2	NI	0,154	0,144	0,154	0,143	0,161	0,188

Site	1998	1999	2000	2001	2002	2003	2004
Switzerland							
CH/1	NI	1,490	1,271	1,162	1,336	1,227	1,227
CH/2	NI	0,877	0,743	1,054	0,699	0,712	0,429
CH/3	NI	0,560	0,692	0,917	0,638	0,434	0,802
UK							
UK/1	NI	0,525	0,538	0,574	0,606	1,180	1,852
UK/2	NI	1,410	1,600	1,744	1,950	1,600	1,710
UK/3	NI	2,000	2,080	1,950	1,610	1,677	1,565

Table 4: Atmospheric Emissions of Mercury (kg per year)

Site	1998	1999	2000	2001	2002	2003	2004
Belgium							
B/1	290	156	137	106	68	74	120
B/2	176	154	157	153	153	164	160
B/3	146	101	98	74	63	62	64
B/4	160	146	172	80	NA	NA	NA
Total	772	558	564	413	284	300	344
Finland							
SF/1	40	53	35	34	39	31	46
Total	40	53	35	34	39	31	46
France							
F/1	26	25	26	21	12	7	14
F/2	111	115	103	108	80	103	106
F/3	301	320	313	210	202	235	181
F/4	179	182	188	171	109	88	67
F/5	330	25	25	26	27	27	26
F/6	24	161	129	109	147	142	118
F/7	160	255	223	186	170	255	217
Total	1 131	1 083	1 007	831	747	857	729
Germany							
D/1	173	105	NA	NA	NA	NA	NA
D/2	92	135	235	146	114	113	98
D/3	84	39	63	68	71	74	86
D/4	255	353	353	345	274	NA	NA
D/5	256	255	160	155	150	163	167
D/6	105	66	58	48	45	72	111
D/7	128	301	244	187	206	276	247
D/8	280	175	171	179	141	113	114
D/9	150	149	151	185	188	203	233
D/10	354	382	NA	NA	NA	NA	NA
D/11	105	100	18	NA	NA	NA	NA
D/12	103	119	128	NA	NA	NA	NA
D/13	97	124	158	177	144	135	131
D/14	285	96	110	74	65	62	60
D/15	238	NA	NA	NA	NA	NA	NA
Total	2 705	2 399	1 849	1 564	1 398	1 211	1 248
Netherlands							
NL/1	65	65	65	53	37	42	40
NL/2	180	178	NA	NA	NA	NA	NA
Total	245	243	65	53	37	42	40
Portugal							
P/1	92	91	82	69	NA	NA	NA
P/2	28	NA	NA	NA	NA	NA	NA
Total	120	91	82	69	NA	NA	NA
Spain							
E/1	31	38	45	36	33	38	40
E/2	21	20	19	17	12	NI	NI
E/3	66	51	43	32	23	31	23
E/4	210	218	118	69	80	114	105
E/5	109	91	85	91	77	63	74
E/6	126	157	165	178	171	182	193
E/7	48	35	27	22	28	26	22
E/8	203	227	204	155	148	151	128
E/9	123	152	74	84	112	81	85
Total	937	989	780	684	684	686	670

Site	1998	1999	2000	2001	2002	2003	2004
Sweden							
S/1	37	25	25	27	23	20	23
S/2	21	17	17	17	15	16	20
Total	58	42	42	44	38	36	43
Switzerland							
CH/1	57	75	63	58	69	65	38
CH/2	18	19	19	27	18	18	11
CH/3	21	10	14	17	14	8	17
Total	96	104	96	102	101	91	66
UK							
UK/1	14	14	14	13	13	29	49
UK/2	106	117	137	149	169	137	147
UK/3	1 107	1 292	1 269	1 270	1 048	1 053	1 010
Total	1 227	1 423	1 420	1 432	1 230	1 219	1 206

Total atmospheric emissions of mercury from all installations in the Convention area¹

	1998	1999	2000	2001	2002	2003	2004
kg/year	7 331	6 985	5 940	5 226	4 558	4 475	4 392
%	100	95,3	81,0	71,3	62,2	61	59,9

Table 5: Atmospheric Emissions of Mercury (g per tonne production capacity)

Site	1998	1999	2000	2001	2002	2003	2004
Belgium							
B/1	1,320	0,680	0,627	0,484	0,310	0,338	0,547
B/2	0,705	0,617	0,627	0,615	0,611	0,657	0,641
B/3	1,213	1,013	0,813	0,615	0,524	0,516	0,531
B/4	1,770	1,780	1,888	1,930	NA	NA	NA
Finland							
SF/1	1,000	1,322	0,885	0,856	0,916	0,738	1,084
France							
F/1	1,390	1,380	1,442	1,154	0,651	0,416	0,763
F/2	1,540	1,600	1,424	1,498	1,111	1,433	1,469
F/3	1,250	1,330	1,300	0,871	0,838	0,976	0,752
F/4	1,050	1,068	1,108	1,004	0,641	0,518	0,396
F/5	1,790	1,123	1,132	1,159	1,199	1,186	1,153
F/6	1,080	0,971	0,776	0,660	0,886	0,853	0,712
F/7	0,960	1,381	1,210	1,011	0,921	1,384	1,176
Germany							
D/1	1,330	1,610	NA	NA	NA	NA	NA
D/2	0,710	1,040	1,680	1,040	1,040	1,030	0,890
D/3	0,700	0,322	0,507	0,546	0,571	0,592	0,687
D/4	1,700	1,175	1,175	1,150	1,792	NA	NA
D/5	1,420	1,700	1,000	0,970	0,940	1,020	1,043
D/6	1,609	0,510	0,390	0,322	0,303	0,481	0,745
D/7	0,800	1,670	1,340	1,060	1,170	1,570	1,405
D/8	1,400	1,790	1,260	1,320	1,039	0,834	0,842
D/9	1,000	0,995	0,942	1,106	1,125	1,215	1,396
D/10	1,180	1,540	NA	NA	NA	NA	NA
D/11	2,100	1,660	1,846	NA	NA	NA	NA
D/12	1,431	0,760	0,815	NA	NA	NA	NA
D/13	0,620	0,829	0,989	1,108	0,898	0,841	0,820
D/14	0,950	1,330	1,330	0,900	0,787	0,756	0,734
D/15	1,980	NA	NA	NA	NA	NA	NA
Netherlands							
NL/1	0,920	0,927	0,873	0,716	0,501	0,560	0,542
NL/2	1,230	1,270	NA	NA	NA	NA	NA
Portugal							
P/1	1,893	1,900	1,900	1,600	NA	NA	NA
P/2	1,061	NA	NA	NA	NA	NA	NA
Spain							
E/1	0,960	1,260	1,420	1,141	1,041	1,220	1,265
E/2	1,430	1,330	1,272	1,153	1,166	NI	NI
E/3	1,960	1,510	1,280	0,959	0,685	0,927	0,690
E/4	1,400	1,450	0,784	0,462	0,537	0,760	0,699
E/5	1,735	1,442	1,347	1,455	1,226	1,001	1,178
E/6	0,603	0,750	0,758	0,818	0,784	0,836	0,885
E/7	1,900	1,400	1,060	0,880	1,120	1,040	0,880
E/8	1,500	1,680	1,510	1,140	1,100	1,120	0,950
E/9	1,220	1,500	0,735	0,831	1,110	0,800	0,843
Sweden							
S/1	0,370	0,250	0,250	0,270	0,234	0,204	0,231
S/2	0,171	0,139	0,131	0,140	0,121	0,135	0,167

Site	1998	1999	2000	2001	2002	2003	2004
Switzerland							
CH/1	1,030	1,370	1,146	1,065	1,258	1,176	1,176
CH/2	0,680	0,848	0,710	1,019	0,670	0,689	0,408
CH/3	0,780	0,370	0,517	0,625	0,515	0,315	0,647
UK							
UK/1	0,483	0,470	0,461	0,452	0,438	1,004	1,669
UK/2	1,179	1,310	1,520	1,660	1,880	1,520	1,640
UK/3	1,501	1,750	1,720	1,720	1,420	1,427	1,368

Table 6: Mercury in Safely Deposited Wastes* (kg per year)

Site	1998	1999	2000	2001	2002	2003	2004
Belgium							
B/1	NI	837	6 823	260	2 889	2 293	4 608
B/2	NI	5 733	3 566	4 646	358	NI	250
B/3	NI	3	5	6	67	6	5
B/4	NI	0	2	1 242	NA	NA	NA
Total	8 529	6 573	10 396	6 154	3 254	2 299	4 863
Finland							
SF/1	0	0	0,16	0	0	0	0
Total	0	0	0,16	0	0	0	0
France							
F/1	NI	0	0	0	18	33	75
F/2	NI	68	2 632	9 644	8 896	6 230	7 268
F/3	NI	1 257	1 296	1 078	922	1 323	1 143
F/4	NI	54	37	43	41	34	26
F/5	NI	0	70	6	238	13	3
F/6	NI	33	16	64	48	25	15
F/7	NI	24	35	8	25	24	44
Total	344	1 436	4 086	10 843	10 188	7 682	8 574
Germany							
D/1	NI	31	NA	NA	NA	NA	NA
D/2	NI	4	0	NI	NI	NI	138
D/3	NI	2	3	2	1	NI	NI
D/4	NI	3 054	3 054	1 259	3 437	NA	NA
D/5	NI	66	576	766	5 799	10 555	10 027
D/6	NI	1 314	3 764	1034	472	1 591	1 551
D/7	NI	37 260	20 602	13 200	13 390	12 260	16 490
D/8	NI	1 646	2 311	NI	674	2 282	1 536
D/9	NI	2 270	4 570	4 230	6 366	5 340	4 355
D/10	NI	304	NA	NA	NA	NA	NA
D/11	NI	19	NI	NA	NA	NA	NA
D/12	NI	176	176	NA	NA	NA	NA
D/13	NI	2 692	5 659	9 209	4 378	2 745	2 500
D/14	NI	1 656	754	833	406	85	212
D/15	NI	NA	NA	NA	NA	NA	NA
Total	26 200	50 494	41 469	30 533	34 923	34 858	36 808
Netherlands							
NL/1	NI	6	2	28	7	3	2
NL/2	NI	0	NA	NA	NA	NA	NA
Total	38	6	2	28	7	3	2
Portugal							
P/1	NI	0	0	0	NA	NA	NA
P/2	NI	NA	NA	NA	NA	NA	NA
Total	689	0	0	0	0	0	0
Spain							
E/1	NI	1 265	4 276	495	2 027	846	408
E/2	NI	27	8	9	141	NI	NI
E/3	NI	384	599	359	472	679	402
E/4	NI	2 694	6 279	4 868	2 343	2 020	2 837
E/5	NI	1 013	412	59	0	440	1 544
E/6	NI	604	770	1 088	2 339	2 625	622
E/7	NI	20	10	3	13	14	NI
E/8	NI	498	432	459	552	328	506
E/9	NI	500	401	279	169	349	185
Total	657	7 005	13 187	7 619	8 056	7 301	6 503

* All mercury-contaminated materials, such as cell components, process equipment, solid wastes from sumps, pits, demercuration units and the brine purification process, which have been sent to authorised and properly controlled toxic waste disposal sites, are to be included in the category "safely deposited waste". For the purpose of the balance, all deposits of mercury in whatever concentrations should be accounted for.

Site	1998	1999	2000	2001	2002	2003	2004
Sweden							
S/1	NI	6	6	850	5	NI	55
S/2	NI	1	1	1	NI	NI	NI
Total	42	7	7	851	5	NI	55
Switzerland							
CH/1	NI	165	178	215	207	239	139
CH/2	NI	0	3	32	1	2	1
CH/3	NI	1 084	0	1 933	NI	1 891	NI
Total	1 905	1 249	181	2 180	208	2 132	140
UK							
UK/1	NI	161	268	263	136	118	246
UK/2	NI	37	48	147	113	119	134
UK/3	NI	3 911	3 092	2 842	10 745	21 247	6 208
Total	3 187	4 109	3 408	3 252	10 994	21 484	6 588

Table 7: Mercury in Safely Deposited Wastes* (g per tonne production capacity)

Site	1998	1999	2000	2001	2002	2003	2004
Belgium							
B/1	NI	3,640	31,155	1,188	13,192	10,472	21,041
B/2	NI	22,930	14,264	18,585	1,432	NI	1,000
B/3	NI	0,025	0,039	0,046	0,055	0,047	0,038
B/4	NI	0	0,0260	29,819	NA	NA	NA
Finland							
SF/1	NI	0,003	0,004	0,006	0,003	NI	NI
France							
F/1	NI	0	0	0	1,024	1,810	4,130
F/2	NI	0,950	36,560	133,941	123,555	86,528	100,950
F/3	NI	5,220	5,380	4,474	3,828	5,491	4,746
F/4	NI	0,320	0,215	0,255	0,240	0,200	0,155
F/5	NI	0	3,100	0,280	10,580	0,600	0,140
F/6	NI	0,196	0,094	0,386	0,292	0,148	0,092
F/7	NI	0,131	0,190	0,044	0,134	0,131	0,237
Germany							
D/1	NI	0,480	NA	NA	NA	NA	NA
D/2	NI	0,030	0	0	NI	NI	1,250
D/3	NI	0,014	0,021	0,014	0,007	NI	NI
D/4	NI	10,180	10,180	4,197	22,464	NA	NA
D/5	NI	0,440	3,600	4,788	36,242	66	62,670
D/6	NI	10,104	25,290	6,950	3,171	11	10,422
D/7	NI	207,000	113,200	75,000	76,080	70	93,693
D/8	NI	16,800	17,000	0	4,959	17	11,295
D/9	NI	15,134	28,560	25,329	38,119	32	26,077
D/10	NI	1,225	NA	NA	NA	NA	NA
D/11	NI	0,310	0	NA	NA	NA	NA
D/12	NI	1,120	1,120	NA	NA	NA	NA
D/13	NI	17,949	35,371	57,555	27,362	17	15,628
D/14	NI	23,000	9,150	10,110	4,937	1	2,571
D/15	NI	NA	NA	NA	NA	NA	NA
Netherlands							
NL/1	NI	0,082	0,027	0,382	0,100	0,043	0,029
NL/2	NI	0	NA	NA	NA	NA	NA
Portugal							
P/1	NI	0	0	0	NA	NA	NA
P/2	NI	NA	NA	NA	NA	NA	NA
Spain							
E/1	NI	42,150	136,300	15,759	64,604	27	12,995
E/2	NI	1,800	0,556	0,607	14,300	NI	NI
E/3	NI	11,460	17,850	10,703	14,056	20	11,977
E/4	NI	17,960	41,860	32,450	15,620	13	18,910
E/5	NI	16,085	6,564	0,943	0,005	7	24,606
E/6	NI	2,890	3,533	4,994	10,737	12	2,857
E/7	NI	0,800	0,380	0,120	0,528	1	NI
E/8	NI	3,690	3,200	3,400	4,090	2	3,750
E/9	NI	4,950	3,970	2,767	1,673	3	1,830
Sweden							
S/1	NI	0,064	0,064	8,500	0,052	NI	0,553
S/2	NI	0,011	0,010	0,010	NI	NI	NI

* All mercury-contaminated materials, such as cell components, process equipment, solid wastes from sumps, pits, demercuration units and the brine purification process, which have been sent to authorised and properly controlled toxic waste disposal sites, are to be included in the category "safely deposited waste". For the purpose of the balance, all deposits of mercury in whatever concentrations should be accounted for.

Site	1998	1999	2000	2001	2002	2003	2004
Switzerland							
CH/1	NI	3,000	3,230	3,900	3,774	4,350	4,350
CH/2	NI	0	0,104	1,216	0,021	0,061	0,030
CH/3	NI	40,910	0	71,602	NI	70,048	NI
UK							
UK/1	NI	5,540	9,115	8,938	4,631	4,001	8,359
UK/2	NI	0,420	0,530	1,640	1,260	1,330	1,490
UK/3	NI	5,300	4,190	3,850	14,560	28,790	8,412

4. 2004 data and information

4.1 Introduction

In this part of the report, data and information about the national chlor-alkali industry of each OSPAR Contracting Party is given as follows:

- a. Contracting Parties with mercury-based chlor-alkali plants:
 - (i) two overview maps showing the locations, the names and the operators of the sites;
 - (ii) tables with technical data on the annual discharges, emissions and losses, including wastes, from plants of each Contracting Party (provided via Euro Chlor);
- b. Contracting Parties with mercury-free plants or without chlor-alkali industry.

The column headings and abbreviations (e.g. C, E1, E2 etc) used in the tables correspond to the reporting requirements set out in the current formats:

Sea Area - Sea area in which liquid wastes from the plant is discharged, or is likely to be discharged

OSPAR maritime area

A - Atlantic

Areas not covered by the OSPAR Convention

Baltic - Baltic Sea

Bl Sea- Black Sea

M - Mediterranean Sea

Brine W - waste brine plant
 R - brine-recirculation plant

Values are expressed in continental notation.

4.2 Locations of mercury-based chlor-alkali plants

The two following maps give an overview of the locations of the mercury-based chlor-alkali plants indicated below and their operators:

Country/Code	Company	Location	Status
Belgium			
B/1	Solvin	Lillo	
B/2	Tessenderlo	Tessenderlo	
B/3	Solvin	Antwerpen	
B/4	Solvay	Jemeppe	Replaced its mercury technology in 2001
Finland			
SF/1	Eka Chemicals	Oulu	The permitted discharges and emissions have been increased on the basis of a revised authorisation in 2002
France			
F/1	PC de Loos	Loos	
F/2	Albemarle PPC	Thann	
F/3	Solvay	Tavaux	
F/4	Atofina	Jarrie	
F/5	SPC Harbonnières	Harbonnières	
F/6	Atofina	Lavera	
F/7	Atofina	St Auban	
Germany³			
D/1	ECI	Bitterfeld	Ceased operation in 1999
D/2	Bayer	Uerdingen	Converted to membrane
D/3	ECI	Ibbenbüren	
D/4	Bayer	Leverkusen	Shut down in 2002
D/5	BASF	Ludwigshafen	
D/6	Ineos	Wilhelmshafen	
D/7	Vestolit	Marl	Shut down of some cells in 2001
D/8	Degussa - Hüls	Lülsdorf	
D/9	Lil	Frankfurt	The permitted discharges and emissions have been increased on the basis of a revised authorisation in 2001
D/10	Bayer	Dormagen	Ceased operation in 1999
D/11	Clariant	Gersthofen	Shut down in 2000
D/12	Wacker Chemie	Burghausen	Shut down in 2000
D/13	Vintron	Knapsack	
D/14	Vinnolit	Gendorf	
D/15	BSL Olefinverbund	Schkopau	Shut down in 1998
The Netherlands			
NL/1	Akzo Nobel	Hengelo	
NL/2	Solvay	Linne-Herten	Decommissioned in 1999
Portugal			
P/1	Uniteca	Estarreja	Has been replaced by membrane cells in January 2002
P/2	Solvay Portugal	Póvoa de Santa Iria	Shut down in 1998

³ Germany advised that 7 plants have been converted. 5 more plants are to be converted.

Country/Code	Company	Location	Status
Spain			
E/1	Quimica del Cinca	Monzon	
E/2	Electroquimica de Hernani	Hernani	Partly converted to membrane technology
E/3	Elnosa	Lourizan	
E/4	Ercros	Flix	
E/5	Solvay	Torrelavega	
E/6	Solvay	Martorell	
E/7	Aragonesas	Sabinanigo	
E/8	Aragonesas	Vilaseca	
E/9	Aragonesas	Huelva/Palos	
Sweden			
S/1	Akzo Nobel	Bohus	
S/2	Hydro Polymers	Stenungsund	Verified value
Switzerland			
CH/1	Solvay	Zurzach	
CH/2	Syngenia	Monthey	
CH/3	SF-Chem	Pratteln	
United Kingdom			
UK/1	Rhodia	Staveley	
UK/2	Albion Chemicals	Sandbach	
UK/3	Ineos	Runcorn	

4.3 Other OSPAR Contracting Parties

Denmark

Denmark has no chlor-alkali plants.

Luxembourg

Luxembourg has no chlor-alkali plants.

Iceland


Iceland has no chlor-alkali plants.


Ireland

Ireland has only one chlor-alkali plant, which operates mercury-free.

Norway

The last Norwegian plant with mercury cells ceased its mercury-based operations in September 1997.





Belgium

Site	Chlorine Production Capacity with Hg- cells (tonnes)	Sea Area	Brine W or R	Mercury consumption	Losses via Products	Discharges via Waste Water	Emissions to the Atmosphere			Total Emissions Discharges Losses (g/t)	Mercury in Wastes					Difference to Balance DB (g/t)
				C (g/t)	E1 (g/t)	E2 (g/t)	Process Exhaust 2.3.1 (g/t)	Cellroom 2.3.2 (g/t)	Total E3 (g/t)		Disposed off D (g/t)	Awaiting recovery c (tonnes)	Awaiting disposal f (tonnes)	Awaiting decision l (tonnes)	Temporarily stored F (g/t)	
B/1	219 000	A	R	25,023	0,061	0,020	0,110	0,228	0,338	0,419	10,472	-0,709			-3,237	17,369
B/2	250 000	A	R	14,656	0,079	0,008	0,003	0,654	0,657	0,744		-0,040	3,518		13,912	0,000
B/3	120 000	A	R	-20,933	0,057	0,139	0,016	0,500	0,516	0,712	0,047	-0,633			-5,275	-16,417
Total	589 000															

Finland

Site	Chlorine Production Capacity with Hg- cells (tonnes)	Sea Area	Brine W or R	Mercury consumption	Losses via Products	Discharges via Waste Water	Emissions to the Atmosphere			Total Emissions Discharges Losses (g/t)	Mercury in Wastes					Difference to Balance DB (g/t)
				C	E1	E2	Process Exhaust	Cellroom	Total		Disposed off	Awaiting recovery	Awaiting disposal	Awaiting decision	Temporarily stored	
				(g/t)	(g/t)	(g/t)	2.3.1 (g/t)	2.3.2 (g/t)	E3 (g/t)		D (g/t)	c (tonnes)	f (tonnes)	l (tonnes)	F (g/t)	
SF/1	42 485	Baltic	R	19,466	0,020	0,120	0,002	0,736	0,738	0,878		1,706			40,155	-21,568
Total	42 485															

The permitted discharges and emissions have been increased on the basis of a revised authorisation in 2002.

France

Site	Chlorine Production Capacity with Hg- cells (tonnes)	Sea Area	Brine W or R	Mercury consumption	Losses via Products	Discharges via Waste Water	Emissions to the Atmosphere			Total Emissions Discharges Losses (g/t)	Mercury in Wastes					Difference to Balance DB (g/t)
				C (g/t)	E1 (g/t)	E2 (g/t)	Process Exhaust 2.3.1 (g/t)	Cellroom 2.3.2 (g/t)	Total E3 (g/t)		Disposed off D (g/t)	Awaiting recovery c (tonnes)	Awaiting disposal f (tonnes)	Awaiting decision l (tonnes)	Temporarily stored F (g/t)	
F/1	18 040	A	R	88,858	0,142	0,088	0,010	0,406	0,416	0,646	1,810	1,017	0,005		56,652	29,750
F/2	72 000	A	R	64,125	0,151	0,060	0,072	1,361	1,433	1,644	86,528	0,720	-2,667		-27,042	2,995
F/3	240 900	M	R	8,601	0,041	0,002	0,114	0,862	0,976	1,019	5,491	0,166			0,689	1,402
F/4	170 070	M	R	5,939	0,042	0,186	0,073	0,445	0,518	0,746	0,200	0,025	0,051		0,443	4,549
F/5	22 500	A	R	16,800	0,282	0,001	0,006	1,180	1,186	1,469	0,600	-0,046			-2,044	16,775
F/6	166 000	M	R	10,054	0,035	0,229		0,853	0,853	1,117	0,148					8,789
F/7	184 300	M	R	14,700	0,018	0,128	0,004	1,380	1,384	1,530	0,131	0,571			3,098	9,941
Total	873 810															

Germany

Site	Chlorine Production Capacity with Hg- cells (tonnes)	Sea Area	Brine W or R	Mercury consumption	Losses via Products	Discharges via Waste Water	Emissions to the Atmosphere			Total Emissions Discharges Losses (g/t)	Mercury in Wastes					Difference to Balance DB (g/t)
				C	E1	E2	Process Exhaust	Cellroom	Total		Disposed off	Awaiting recovery	Awaiting disposal	Awaiting decision	Temporarily stored	
				(g/t)	(g/t)	(g/t)	2.3.1 (g/t)	2.3.2 (g/t)	E3 (g/t)		D (g/t)	c (tonnes)	f (tonnes)	l (tonnes)	F (g/t)	
D/2	110 000	A	R	25,918	0,040	0,004	0,030	0,860	0,890	0,934	1,250	0,000	0,030	0,000	0,273	23,461
D/3	125 000	A	R	0,000	0,045	0,001	0,013	0,674	0,686	0,733	0,000	-0,482	-0,037	0,000	-4,152	3,419
D/5	160 000	A	R	8,750	0,030	0,010	0,000	1,043	1,043	1,083	62,670	-9,970	0,000	5,480	-28,063	-26,940
D/6	148 828	A	R	13,217	0,023	0,009	0,000	0,745	0,745	0,777	10,422	0,186	0,057	0,000	1,633	0,385
D/7	176 000	A	R	289,773	0,060	0,014	0,024	1,381	1,405	1,479	93,693	0,000	3,880	0,000	22,045	172,555
D/8	135 951	A	R	110,378	0,216	0,053	0,053	0,789	0,842	1,111	11,295	0,000	-9,155	0,000	-67,340	165,312
D/9	167 000	A	R	14,653	0,058	0,010	0,086	1,310	1,396	1,464	26,077	0,000	0,000	-2,663	-15,946	3,058
D/13	160 000	A	R	-17,494	0,057	0,007	0,018	0,802	0,820	0,884	15,628	-5,998	0,000	0,000	-37,488	3,482
D/14	82 355	Bl Sea	R	-88,483	0,023	0,000	0,047	0,687	0,734	0,757	2,571	-2,274	0,000	0,000	-27,612	-64,198
Total	1 265 134															

The Netherlands

Site	Chlorine Production Capacity with Hg- cells (tonnes)	Sea Area	Brine W or R	Mercury consumption	Losses via Products	Discharges via Waste Water	Emissions to the Atmosphere			Total Emissions Discharges Losses (g/t)	Mercury in Wastes					Difference to Balance DB (g/t)
				C (g/t)	E1 (g/t)	E2 (g/t)	Process Exhaust 2.3.1 (g/t)	Cellroom 2.3.2 (g/t)	Total E3 (g/t)		Disposed off D (g/t)	Awaiting recovery c (tonnes)	Awaiting disposal f (tonnes)	Awaiting decision l (tonnes)	Temporarily stored F (g/t)	
NL/1	74 294	A	R	-28,239	0,029	0,021	0,141	0,419	0,560	0,610	0,043	-2,145	0,001		-28,858	-0,034
Total	74 294															

Spain

Site	Chlorine Production Capacity with Hg- cells (tonnes)	Sea Area	Brine W or R	Mercury consumption C (g/t)	Losses via Products E1 (g/t)	Discharges via Waste Water E2 (g/t)	Emissions to the Atmosphere			Total Emissions Discharges Losses (g/t)	Mercury in Wastes					Difference to Balance DB (g/t)
							Process Exhaust 2.3.1 (g/t)	Cellroom 2.3.2 (g/t)	Total E3 (g/t)		Disposed off D (g/t)	Awaiting recovery c (tonnes)	Awaiting disposal f (tonnes)	Awaiting decision l (tonnes)	Temporarily stored F (g/t)	
E/1	31 373	M	R	30,057	0,200	0,010	0,011	1,209	1,220	1,430	26,980	-0,138	-1,138		-8,797	10,445
E/3	33 552	A	R	23,218	0,322	0,015	0,263	0,664	0,927	1,264	20,224		0,025		0,745	0,985
E/4	150 000	M	R	18,087	0,106	0,045	0,005	0,755	0,760	0,911	13,469	-0,037	-0,003		-0,267	3,973
E/5	62 747	A	W	17,037	0,101	0,070	0,015	0,986	1,001	1,172	7,007	0,084	0,002		1,371	7,487
E/6	217 871	M	R	21,797	0,073	0,005	0,200	0,636	0,836	0,914	12,047			0,430	1,974	6,863
E/7	25 000	M	R	13,000	0,170	0,010	0,010	1,030	1,040	1,220	0,549	0,120	0,012		5,280	5,951
E/8	135 004	M	R	17,955	0,110	0,060	0,020	1,100	1,120	1,290	2,430	1,357			10,052	4,183
E/9	100 929	A	R	11,394	0,120	0,056	0,080	0,720	0,800	0,976	3,460	0,019			0,188	6,770
Total	756 476															

Sweden

Site	Chlorine Production Capacity with Hg- cells (tonnes)	Sea Area	Brine W or R	Mercury consumption	Losses via Products	Discharges via Waste Water	Emissions to the Atmosphere			Total Emissions Discharges Losses (g/t)	Mercury in Wastes					Difference to Balance DB (g/t)
				C (g/t)	E1 (g/t)	E2 (g/t)	Process Exhaust 2.3.1 (g/t)	Cellroom 2.3.2 (g/t)	Total E3 (g/t)		Disposed off D (g/t)	Awaiting recovery c (tonnes)	Awaiting disposal f (tonnes)	Awaiting decision l (tonnes)	Temporarily stored F (g/t)	
S/1	100 000	A	R	6,870	0,014	0,003	0,001	0,203	0,204	0,221		0,567	0,005		5,720	0,929
S/2	120 000	A	R	21,458	0,022	0,004		0,135	0,135	0,161		1,791			14,925	6,372
Total	220 000															

Switzerland

Site	Chlorine Production Capacity with Hg- cells (tonnes)	Sea Area	Brine W or R	Mercury consumption C (g/t)	Losses via Products E1 (g/t)	Discharges via Waste Water E2 (g/t)	Emissions to the Atmosphere			Total Emissions Discharges Losses (g/t)	Mercury in Wastes					Difference to Balance DB (g/t)
							Process Exhaust 2.3.1 (g/t)	Cellroom 2.3.2 (g/t)	Total E3 (g/t)		Disposed off D (g/t)	Awaiting recovery c (tonnes)	Awaiting disposal f (tonnes)	Awaiting decision l (tonnes)	Temporarily stored F (g/t)	
CH/1*	55 000	A	R	-11,455	0,028	0,023	0,046	1,130	1,176	1,227	4,350					-17,032
CH/2	26 500	M	R		0,017	0,006	0,020	0,669	0,689	0,712	0,061					-0,773
CH/3	27 000	A	R	35,556	0,100	0,019		0,315	0,315	0,434	70,048		-0,943		-34,926	-0,001
Total	108 500															

* The Solvay chlorine production unit located in Zurzach (CH/1) was shut down at the beginning of August 2004 and, in agreement with the Euro Chlor rules, a yearly production capacity "pro rata temporis" was considered (i.e. 55 000 t/y * 7 /12 = 32 083 t/y).

United Kingdom

Site	Chlorine Production Capacity with Hg- cells (tonnes)	Sea Area	Brine W or R	Mercury consumption	Losses via Products	Discharges via Waste Water	Emissions to the Atmosphere			Total Emissions Discharges Losses (g/t)	Mercury in Wastes					Difference to Balance DB (g/t)
				C	E1	E2	Process Exhaust	Cellroom	Total		Disposed off	Awaiting recovery	Awaiting disposal	Awaiting decision	Temporarily stored	
				(g/t)	(g/t)	(g/t)	2.3.1 (g/t)	2.3.2 (g/t)	E3 (g/t)		D (g/t)	c (tonnes)	f (tonnes)	l (tonnes)	F (g/t)	
UK/1	29 413	A	R	27,641	0,171	0,005	0,015	0,989	1,004	1,180	4,001					22,460
UK/2	89 872	A	R	82,273	0,030	0,050	0,030	1,490	1,520	1,600	1,330	7,138			79,424	-0,081
UK/3	738 000	A	W	2,275	0,040	0,210	0,245	1,182	1,427	1,677	28,790	4,320			5,854	-34,046
Total	857 285															